

FEED GUIDE - COCO RUN TO WASTE

GROWTH STAGE	Clone	Grow 1	Grow 2	Grow 3	Grow 4	Grow 5	Bloom 1	Bloom 2	Bloom 3	Bloom 4	Bloom 5	Bloom 6	Bloom 7	Bloom 8
LIGHT CYCLE HRS ON /HRS OFF	20/4	18/6	18/6	18/6	18/6	18/6	12/12	12/12	12/12	12/12	12/12	12/12	12/12	8/16
Green Diamond A+B	1ml/L	1ml/L	2ml/L	2ml/L	2ml/L	4ml/L	2ml/L	2ml/L	2ml/L	3ml/L	3ml/L	2ml/L	2ml/L	Flush
Marine		0.5ml/L	0.5ml/L	1ml/L	1ml/L	1ml/L	0.5ml/L	0.5ml/L						
Aloevate		2ml/L	2ml/L	2ml/L	2ml/L	2ml/L	5ml/L	5ml/L	5ml/L	5ml/L	5ml/L	5ml/L	5ml/L	
Bio Diesel							2ml/L	2ml/L	4ml/L	4ml/L	4ml/L	4ml/L		
Rhino K							1ml/L Foliar				2ml/L	1ml/L	1ml/L	
pH Reccomendation	6.2pH	6.0pH	5.8pH	5.8pH	5.8pH	6.0pH	6.0pH	6.2pH	6.2pH	6.2pH	6.2pH	6.2pH	6.2pH	7.0pH
Crystal Clear Coco Flush between Tank changes or as required						2ml/L				2ml/L				2ml/L
MYKOS VAM / BIO MIX BT	ADD AT TRANSPLANT blend through media or top-dress													
FOLIAR APPLICATIONS														
Aloevate		5ml/L		5ml/L			5ml/L							
Supernatural			1g/L		1g/L		1g/L							

- APPLY FOLIAR SPRAYS LIGHTS OFF TIME ONLY
- ENSURE GOOD WATER OXYGEN LEVELS IN YOUR NUTRIENT TANK BY USING CIRCULATING PUMPS OR AIR STONES

- FOR 'RUN TO WASTE' COCO OR PEAT WATERING IT IS RECOMMENDED TO WATER SHORTER FEEDS MORE OFTEN DURING LIGHTS ON TIME ONLY
- CHECK NUTRIENT SOLUTION RUNOFF EC AND PH VALUES REGULARLY TO ACCURATELY MONITOR THE ROOT ZONE CONDITIONS



FEED GUIDE FOR RECIRCULATING HYDROPONICS

GROWTH STAGE	Clone	Grow 1	Grow 2	Grow 3	Grow 4	Grow 5	Bloom 1	Bloom 2	Bloom 3	Bloom 4	Bloom 5	Bloom 6	Bloom 7	Bloom 8
LIGHT CYCLE HRS ON /HRS OFF	20/4	18/6	18/6	18/6	18/6	18/6	12/12	12/12	12/12	12/12	12/12	12/12	12/12	8/16
Green Diamond A+B	1ml/L	1ml/L	2ml/L	2ml/L	2ml/L	4ml/L	3ml/L	3ml/L	4ml/L	4ml/L	3ml/L	4ml/L	4ml/L	Flush
Marine		0.5ml/L	0.5ml/L	1ml/L	1ml/L	1ml/L	0.5ml/L	0.5ml/L						
Aloevate		2ml/L	2ml/L	2ml/L	2ml/L	2ml/L	5ml/L	5ml/L	5ml/L	5ml/L	5ml/L	5ml/L	5ml/L	
Bio Diesel							2ml/L	2ml/L	4ml/L	4ml/L	4ml/L	4ml/L		
Rhino K							1ml/L Foliar				2ml/L	1ml/L	1ml/L	
pH Recommendation	6.2pH	6.0pH	5.8pH	5.8pH	5.8pH	6.0pH	6.0pH	6.2pH	6.2pH	6.2pH	6.2pH	6.2pH	6.2pH	7.0pH
Crystal Clear Coco Flush between Tank changes or as required					2ml/L				2ml/L					2ml/L
MYKOS VAM / BIO MIX BT	ADD AT TRANSPLANT blend through media or top-dress													
FOLIAR APPLICATIONS														
Aloevate		5ml/L		5ml/L			5ml/L							
Supernatural			1g/L		1g/L		1g/L							

- APPLY FOLIAR SPRAYS LIGHTS OFF TIME ONLY
- ENSURE GOOD WATER OXYGEN LEVELS IN YOUR NUTRIENT TANK BY USING CIRCULATING PUMPS OR AIR STONES

- FOR 'RUN TO WASTE' COCO OR PEAT WATERING IT IS RECOMMENDED TO WATER SHORTER FEEDS MORE OFTEN DURING LIGHTS ON TIME ONLY
- CHECK NUTRIENT SOLUTION RUNOFF EC AND PH VALUES REGULARLY TO ACCURATELY MONITOR THE ROOT ZONE CONDITIONS

